




A Laboratory Manual for
**Medaka
Biology**

Editors: Masato Kinoshita, Kenji Murata,
Kiyoshi Naruse, and Minoru Tanaka



 WILEY-BLACKWELL

Contents

Contributors	xvii		
Preface	xxi		
1 History and Features of Medaka	1		
1.1 History	1		
1.2 Phylogeny	3		
1.2.1 Phylogeny and distribution of medaka and relatives	3		
1.2.2 Genetic diversity of medaka	7		
1.3 Advantage of Medaka as a Model Fish	9		
1.3.1 Advantageous features in general	9		
1.3.2 Color mutants	11		
1.3.2.1 Introduction and history	11		
1.3.2.2 Body color and chromatophores	12		
1.3.2.3 Genes mutated in body-color mutants	14		
1.3.2.4 Future use of body-color mutants	16		
1.3.3 Wild strains	16		
1.3.4 Inbred strains	18		
1.3.4.1 History for establishing inbred lines	18		
1.3.4.2 Characteristics of medaka inbred strains	19		
Column 1.1 For those who cannot decide which medaka to use	20		
1.3.4.3 Polymorphic variation among inbred strains	21		
1.3.4.4 To generate and maintain medaka inbred strains	21		
Column 1.2 Variation among strains	22		
1.3.5 Differences from zebrafish	23		
2 Medaka Management	31		
2.1 How to Obtain Medaka	31		
2.1.1 Obtain medaka from researchers who are culturing medaka	31		
2.1.2 Contact the National Bio-Resource Project (medaka) in Japan	31		
2.1.3 Purchase medaka from commercial vendors (aquarium shops)	32		
2.1.4 Catching medaka from the wild	32		
2.2 Rearing Medaka	33		
2.2.1 Breeding program	33		
2.2.2 Recirculating system (mid-scale system)	35		
2.2.2.1 Aquarium system	35		
2.2.2.2 Maintenance of recirculating system	40		
Column 2.1 Soft water is suitable for medaka breeding	41		
2.2.3 Large-scale breeding	47		
2.2.3.1 Outline of large-scale water system at JST Kyoto	47		
2.2.3.2 Water system at JST Kyoto facility	47		
2.2.3.3 Water condition	48		
2.2.4 Rearing without water circulation (small-scale system)	49		
2.2.4.1 Room condition, racks, and tanks	49		
2.2.4.2 Water	49		
2.2.4.3 Daily care	49		
2.2.5 Outdoor breeding	50		
2.3 Feeding	54		
2.3.1 Feed for adult fish and larvae	54		
2.3.2 Feeding schedule	55		
2.3.3 Feed	55		
2.3.3.1 Brine shrimp (<i>Artemia</i>)	59		
2.3.3.2 Dry feed	60		
2.3.3.3 Paramecium	60		
2.3.3.4 Other feed types	60		
2.4 Diseases	60		
2.4.1 Tail rot disease	61		
2.4.2 Matsukasa disease	62		
2.4.3 Trichodina	63		
2.4.4 Water mold	63		
2.4.5 White spot disease	64		
2.4.6 Water mites	64		
2.4.7 Gyrodactylus	65		
2.5 Goods for Medaka	67		
3 Reproduction of Medaka	67		
3.1 Sex Determination	67		
3.1.1 Sex determination in medaka	68		
3.1.2 Sex determination in the genus <i>Oryzias</i>	69		
3.1.3 Spontaneous sex reversals in medaka	69		
3.2 Hormonal Control of Gonadal Development	69		
3.2.1 Hypothalamic-pituitary-gonadal axis	70		
3.2.2 Oocyte growth and maturation	71		
3.2.3 Spermatocyte growth and maturation	72		
3.3 Oogenesis and Spermatogenesis	72		
3.3.1 Oogenesis	74		
3.3.2 Spermatogenesis	75		
3.4 Egg Envelope (Chorion)	75		
3.4.1 Morphology and biochemical characters of the medaka egg envelope	76		
3.4.2 Origin of the egg envelope in medaka fish	80		
3.4.3 Gene structure of egg envelope glycoproteins in medaka	81		
3.4.4 Molecular mechanisms of liver-specific expression of Choriogenins' Genes	84		
3.4.5 Assembly of the Choriogenins into the egg envelope in the ovary	86		
3.4.6 Egg envelope glycoproteins as the substrates for the hatching enzyme	86		
3.4.7 Conclusion	86		

3.5	Necessary Conditions for Spawning	87
3.6	Reproductive Behavior	88
3.7	Mating	89
3.8	Embryo Collection	90
3.8.1	Embryo collection directly from females	90
3.8.2	Embryo collection from the bottom of the tank	90
3.9	Embryonic Culture	90
3.9.1	Cleaning	90
3.9.2	Incubation	91
3.10	Larval Culture	91
3.11	Generation of Sex-Reversed Medaka	91
3.11.1	Treatment with androgen to generate XX males	92
3.11.2	Treatment with estrogen to generate XY females	92
3.11.3	High-temperature treatment to generate XX males	92
Column 3.1	Interstrain Variation in Reproductive Performance	93
4	Strain Preservation and Related Techniques	101
4.1	Shipping	101
4.1.1	Scheduling	101
4.1.2	Sorting of eggs or fish	101
4.1.3	Procedures for packaging	102
4.1.4	Transgenic medaka	102
4.1.5	MTA (Material Transfer Agreement)	102
4.2	Quarantine and Pasteurization	104
4.2.1	Materials for pasteurization of eggs/embryos	104
4.2.2	Procedure (Movie M4-1)	104
4.3	Cryopreservation of Medaka Sperm	105
4.3.1	Overview	105
4.3.2	The procedure for cryopreservation (Figure 4-2 and Movies M4-2)	105
4.3.3	Materials	106
4.3.4	Solutions	107
4.3.5	Procedures	107
4.4	Artificial Insemination Using Frozen Medaka Sperm	110
4.4.1	Overview	110
4.4.2	Solutions	111
4.4.3	Materials	112
4.4.4	Procedures (Movies M4-3)	113
Column 4.1	Infertile mating method for collecting unfertilized eggs	115
5	Looking at Adult Medaka	117
5.1	General Morphology	117
5.1.1	Secondary sexual characters	117
5.1.2	Body color	118
5.1.2.1	Pigment cells (chromatophores)	118
5.1.2.2	Structures of the chromatophores	119
5.1.2.3	Chromatophores in medaka	119

5.1.2.4	Chromatophore distribution in medaka	123
5.1.2.5	See-through medaka	124
5.2	Anatomy and Histology	124
5.2.1	Observations of internal organs	124
5.2.1.1	Observations of internal organs in the live see-through medaka	124
5.2.1.2	Dissection of adult medaka	126
5.2.2	Horizontal and sagittal sections of juvenile medaka	127
5.2.3	Nervous system	127
5.2.3.1	Adult central nervous system	127
5.2.3.2	Adult peripheral nervous system	139
5.2.4	Endocrine system	147
5.2.4.1	Hypothalamo-pituitary system	147
5.2.4.2	Pineal organ (epiphysis)	150
5.2.4.3	Thyroid gland	152
5.2.4.4	Heart	153
5.2.4.5	Interrenal gland and chromaffin cells	153
5.2.4.6	Gonads	153
5.2.4.7	Endocrine pancreas (islet of Langerhans)	154
5.2.4.8	Gastrointestinal tract	154
5.2.4.9	Ultimobranchial gland	154
5.2.4.10	Corpuscle of Stannius	154
5.2.4.11	Urophysis	155
5.2.4.12	Thymus	155
5.2.5	Gonads	155
5.2.5.1	Ovary	156
5.2.5.2	Testis	157
5.2.6	Kidney	157
5.2.6.1	Pronephros	158
5.2.6.2	Mesonephros	158
5.2.6.3	Histology of the kidney	158
Column 5.1	How to make sections of a mature ovary for histological analysis	160
6	Looking at Medaka Embryos	165
6.1	Development of Various Tissues and Organs	165
6.1.1	Developmental stages	165
6.1.1.0	Stage 0; Unfertilized Egg – Figure 6-1	165
6.1.1.1	Stage 1; activated egg stage (3 minutes) – Figure 6-1	167
6.1.1.2	Stage 2; blastodisc stage – Figure 6-1	167
6.1.1.3	Stage 3; two-cell stage (1 hour 5 minutes) – Figure 6-1	167
6.1.1.4	Stage 4; four-cell stage (1 hour 45 minutes) – Figure 6-1	168
6.1.1.5	Stage 5; eight-cell stage (2 hours 20 minutes) – Figure 6-1	168

6.1.1.6 Stage 6; 16-cell stage (2 hours 55 minutes) – Figure 6-2	168
6.1.1.7 Stage 7; 32-cell stage (3 hours 30 minutes) – Figure 6-2	168
6.1.1.8 Stage 8; early morula stage (4 hours 5 minutes) – Figure 6-2	168
6.1.1.9 Stage 9; late morula stage (5 hours 15 minutes) – Figure 6-2	168
6.1.1.10 Stage 10; early blastula stage (6 hours 30 minutes) – Figure 6-2	168
6.1.1.11 Stage 11; late blastula stage (8 hours 15 minutes) – Figure 6-2	170
6.1.1.12 Stage 12; pre-early gastrula stage (10 hours 20 minutes) – Figure 6-3	170
6.1.1.13 Stage 13; early gastrula stage (13 hours) – Figure 6-3	170
6.1.1.14 Stage 14; pre-mid-gastrula stage (15 hours) – Figure 6-3	170
6.1.1.15 Stage 15; mid-gastrula stage (17 hours 30 minutes) – Figure 6-3	170
6.1.1.16 Stage 16; late gastrula stage (21 hours) – Figure 6-3	170
6.1.1.17 Stage 17; early neurula stage (1 day 1 hour) – Figure 6-3	171
6.1.1.18 Stage 18; late neurula stage (1 day 2 hours) – Figure 6-4	172
6.1.1.19 Stage 19; two-somite stage (1 day 3 hours 30 minutes) – Figure 6-4	172
6.1.1.20 Stage 20; four-somite stage (1 day 7 hours 30 minutes) – Figure 6-4	172
6.1.1.21 Stage 21; six-somite stage (1 day 10 hours) – Figure 6-4	172
6.1.1.22 Stage 22; nine-somite stage (1 day 14 hours) – Figure 6-4	172
6.1.1.23 Stage 23; 12-somite stage (1 day 17 hours) – Figure 6-4	172
6.1.1.24 Stage 24; 16-somite stage (1 day 20 hours) – Figure 6-5	174
6.1.1.25 Stage 25; 18–19-somite stage (2 days 2 hours) – Figure 6-5	175
6.1.1.26 Stage 26; 22-somite stage (2 days 6 hours) – Figure 6-5	175
6.1.1.27 Stage 27; 24-somite stage (2 days 10 hours) – Figure 6-5	175
6.1.1.28 Stage 28; 30-somite stage (2 days 16 hours) – Figure 6-5	175
6.1.1.29 Stage 29; 34-somite stage (3 days 2 hours) – Figure 6-5	175

6.1.1.30 Stage 30; 35-somite stage (3 days 10 hours) – Figure 6-6	176
6.1.1.31 Stage 31; gill blood vessel formation stage (3 days 23 hours) – Figure 6-6	176
6.1.1.32 Stage 32; somite completion stage (4 days 5 hours) – Figure 6-6	176
6.1.1.33 Stage 33; stage at which notochord vacuolization is completed (4 days 10 hours) – Figure 6-6	176
6.1.1.34 Stage 34; pectoral fin blood circulation stage (5 days 1 hour) – Figure 6-6	178
6.1.1.35 Stage 35; stage at which visceral blood vessels form (5 days 12 hours) – Figure 6-6	178
6.1.1.36 Stage 36; heart development stage (6 days) – Figure 6-7	178
6.1.1.37 Stage 37; pericardial cavity formation stage (7 days) – Figure 6-7	178
6.1.1.38 Stage 38; spleen development stage (8 days) – Figure 6-7	178
6.1.1.39 Stage 39; hatching stage (9 days) – Figure 6-7	178
6.1.1.40 Stage 40; first larval stage – Figure 6-8	179
6.1.1.41 Stage 41; second larval stage – Figure 6-8	180
6.1.1.42 Stage 42; third larval stage – Figure 6-8	180
6.1.1.43 Stage 43; first juvenile stage – Figure 6-8	180
6.1.1.44 Stage 44; second juvenile stage – Figure 6-8	180
6.1.1.45 Stage 45 – Figure 6-8	180
6.1.2 Brain	180
6.1.2.1 Gastrula step (stages 13–17)	182
6.1.2.2 Neurula step (stages 17–18)	182
6.1.2.3 Neural rod step (stages 19–22)	184
6.1.2.4 Neural tube step (stages 23–27)	184
6.1.2.5 Late embryonic brain step (stages 28–34)	185
6.1.2.6 Larval brain step (stages 35–42)	187
6.1.3 Hatching gland	187
6.1.3.1 Origin of fish hatching gland cells	188
6.1.3.2 Secretion of hatching enzymes from hatching gland cells	190
6.1.4 Eye development	191
6.1.4.1 Specification of the anterior neural plate	191
6.1.4.2 Eye field determination and establishment of retinal identity	191
6.1.4.3 Splitting of the retinal anlage into two retinal primordia	193
6.1.4.4 Morphogenesis I: evagination of the optic vesicle	194
6.1.4.5 Morphogenesis II: formation of the optic cup	194
6.1.4.6 Retinal differentiation I: central retina	196
6.1.4.7 Retinal differentiation II: CMZ	196
6.1.4.8 Retinotectal projection	196

6.1.5	Branchial arch and jaws	198
6.1.5.1	Skeletal development	198
6.1.5.2	Muscle development	199
6.1.6	Vasculature	201
6.1.6.1	Vascular anatomy of the developing medaka	201
6.1.6.2	Origin of the medaka endothelial lineage	210
6.1.6.3	Abbreviations	211
6.1.6.4	Acknowledgment	212
6.1.7	Blood cells (hematopoiesis)	212
6.1.7.1	Overview	212
6.1.7.2	Observation of Embryonic and Adult Blood Cells	212
6.1.8	Heart	214
6.1.8.1	Overview	214
6.1.8.2	Heart architecture	215
6.1.8.3	Heart morphogenesis	216
6.1.8.4	Observation of the developing heart	225
6.1.9	Kidney	227
6.1.9.1	Introduction	227
6.1.9.2	Nephrogenesis	227
6.1.9.3	Pronephros	229
6.1.9.4	Mesonephros	229
6.1.10	Thymus	229
6.1.10.1	Overview	229
6.1.10.2	Early development of the thymus	229
6.1.10.3	Cortex and medulla	231
6.1.10.4	Involution of the thymus	231
6.1.11	Gut and liver	231
6.1.12	Bones	234
6.1.12.1	Vertebral column	234
Column 6.1	Key words in bone formation	242
6.1.13	Fins	243
6.1.13.1	Introduction	243
6.1.13.2	Fin anatomy	243
6.1.13.3	Embryonic fin development (from fertilization to stage 39 [hatching stage])	244
6.1.13.4	Fin development after hatching (after stage 39)	244
6.1.13.5	Gene expression during fin development	246
6.1.14	Gonads	247
6.1.14.1	Introduction	247
6.1.14.2	PGC specification	247
6.1.14.3	Formation of gonadal primordium (Figure 6-60B)	249
6.1.14.4	Sexual dimorphism in germ cell proliferation (Figure 6-61)	249
6.1.14.5	Post-hatching period in XX gonads	251
6.1.14.6	Post-hatching period in XY gonads	251
6.2	Medaka EGG Envelope and Hatching Enzyme	252
6.2.1	Overview	252

6.2.2	Preparation of a hatching enzyme solution from hatching liquid	254
6.2.3	Simple method for preparing hatching enzyme solution	255
6.2.4	Solubilization of the egg envelope using hatching enzyme	255
Column 6.2	Easy method for preparation of a small amount of hatching enzyme solution (see DVD for figure)	256
6.3	Observation of Embryos (Embedding Embryos)	256
6.3.1	Anesthesia of Embryos using MS-222	256
6.3.2	Observation of embryos (mounting)	257
6.3.2.1	Living embryos	257
6.3.2.2	Processed Embryos	260
6.4	Whole Mount <i>in situ</i> Hybridization (see Section 6.1.8. for a similar protocol)	261
6.4.1	Fixation and storage	261
6.4.2	Rehydration, proteinase K Treatment and post-fixation at RT	262
6.4.3	Hybridization and washing	263
6.4.4	Immunoreaction and washing antibodies	263
6.4.5	Staining	264
6.5	Embedding in a Plastic Resin (Technovit 7100)	264
6.5.1	Agarose mounting (Figure 6-68)	264
6.5.2	Dehydration and infiltration (Figure 6-68)	265
6.5.3	Polymerization (Figure 6-68)	265
Column 6.3	Pigment cells (Figure 6-69)	266
Column 6.4	Kupffer's vesicle	267
7	Transgenesis	277
7.1	Microinjection Technique for Medaka Eggs	277
7.1.1	Equipment required	278
7.1.1.1	Egg holder	278
7.1.1.2	Glass needles for microinjection	280
7.1.1.3	Injector and manipulator with needle holder	281
7.1.1.4	Microscope and light	282
7.1.1.5	Other tools and fertilized eggs	283
7.1.2	Microinjection procedure	283
Column 7.1	Microinjection into nuclei	285
7.2	DNA Microinjection	287
7.2.1	DNA microinjection for transgenesis and transient expression	287
7.2.2	DNA construction for transgenesis	289
Column 7.2	Toxicity of DNA	291
Column 7.3	The form of DNA for transgenesis	291
7.3	RNA Microinjection	291
Column 7.4	Importance of 3'-UTR	292

7.4	Gene Knockdown Technology	292
7.4.1	Morpholinos	293
7.4.2	gripNAs	293
8	Toxicology	297
8.1	Status of Medaka in Toxicology	297
8.2	Fish Culture for Toxicology	298
8.2.1	Preparation and acclimation of fish	298
8.2.2	How to expose to chemicals	301
8.3	Standardized Toxicity Testings	303
8.3.1	International standardization for toxicity tests	303
8.3.2	Acute Toxicity Test (OECD TG203)	303
8.3.3	Early-life stage toxicity test (OECD TG210)	304
8.4	Applied Toxicity Tests for Endocrine Disrupters	305
8.4.1	Screening assays using medaka	306
8.4.2	Fish full lifecycle testing (FFLC) using medaka	306
8.4.3	Sensitive period to estrogen substances in early life stages	307
8.5	Vitellogenin as an Environmental Endocrine Disrupting Chemical Exposure Index	310
8.5.1	Features of VTG	310
8.5.2	Vitellogenin measurement	310
8.5.3	Summary and comments	313
8.6	New Techniques and Other Studies	314
Column 8.1	Application of medaka and <i>hyzias Sp.</i> in seawater. Can medaka survive in seawater?	315
9	Bioinformatics	319
9.1	Medaka Genome Project and Genome Sequence Database	319
9.1.1	Genome database	320
9.1.2	Polymorphism between the Southern and Northern Japanese populations	323
Column 9.1	How to get BAC/Fosmid clones harboring the target gene	324
9.2	Database for Transcribed Sequences	324
9.2.1	EST database	324
9.2.2	Developmental Expression database	326
9.3	Positional Cloning of the Causal Gene in Mutants	327
9.3.1	Mapping mutants using SLP and RFLP markers	327
9.3.1.1	Creating mapping panel	330
9.3.1.2	Identification of the linkage group linked to a mutation using bulk segregation analysis with M markers.	331
9.3.1.3	Low-resolution mapping	336
9.3.1.4	Intermediate-Resolution Mapping	338
9.3.1.5	High-Resolution Mapping	339
9.3.1.6	<i>In silico</i> chromosome walking	339
9.3.1.7	Identification of target gene	343
Column 9.2	Construction of fosmid library	343

10	Advanced Techniques	345
10.1	Cell Culture from Medaka Embryo	345
10.1.1	Flow chart of primary cell culture from medaka embryo	346
10.1.2	Equipment and materials	347
10.1.3	Protocol	347
10.1.4	Notes	348
10.2	<i>In Vitro</i> Spermatogenesis from Primary Spermatocytes	350
10.2.1	Flow chart of <i>in vitro</i> spermatogenesis from primary spermatocytes	350
10.2.2	Required equipment and materials for primary culture of primary spermatocytes	351
10.2.3	Protocol	352
10.3	Single Cell Labeling	353
10.3.1	Flow chart of single cell labeling	354
10.3.2	Required equipment and materials	354
10.3.3	Protocol of single cell labeling	356
10.3.4	Example of cell labeling and tracing	356
10.4	Imaging of Living Embryos	357
10.4.1	Flow chart of imaging of living embryos	358
10.4.2	Fluorescent labeling	358
10.4.3	Sample preparation	359
10.4.4	Recording setup	359
10.4.5	Data analysis	360
10.4.6	Time-lapse imaging of primordial germ cell migration	360
10.4.7	Conclusion	361
10.5	Transplantation	361
10.5.1	Cell transplantation in embryo. Figure 10-11 shows the procedure of cell transplantation in embryo briefly	362
10.5.2	Scale	365
10.6	Nuclear Transplantation	367
10.6.1	Equipment and materials	368
10.6.2	Flow chart of the method	368
10.6.3	Perspectives	368
10.7	Mutagenesis	369
10.7.1	Benefits of using medaka	369
10.7.2	Mutagens that have been used for medaka	370
10.7.3	Mutagenesis screen using ENU	370
10.8	Tilling (Gene Knockout)	374
10.8.1	Outline of the TILLING method	374
10.8.2	An example of screening and quality of our library	379
10.8.3	About SNPs	380
10.8.4	How to obtain a Medaka TILLING library	380
10.9	Cell Trace Experiment with a Caged Fluorescent Dye During Medaka Gastrulation	381
10.9.1	Flow chart of cell trace experiment with a caged fluorescent dye	383

10.9.2 Equipment and materials	383
10.9.3 Protocol (Figure 10-2)	384
10.9.4 Notes	386
Appendix 1 Guidelines on Using Medaka in Experiments	389
Appendix 2 Internet Websites Related to Medaka Research	391
Appendix 3 Solutions	397
Appendix 4 Inbred Strains, Closed Colonies, and Mutant Strains	399
Appendix 5 Index of Abbreviation	403
Attributions	407
Index	411